



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2025/B/6088784  
Dated/दिनांक : 27-03-2025

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	17-04-2025 13:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	17-04-2025 13:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Agriculture And Farmers Welfare
Department Name/विभाग का नाम	Department Of Agricultural Research And Education (dare)
Organisation Name/संगठन का नाम	Indian Council Of Agricultural Research (icar)
Office Name/कार्यालय का नाम	Icar-national Academy Of Agricultural Research Management (icar-naarm)
क्रेता ईमेल/Buyer Email	rukmani@icar.gov.in
Total Quantity/कुल मात्रा	7516
	PVC plastic body exhaust fans sound less 9 inches 200mm Crompton or equivalent Must be ISI Marked , PVC plastic body exhaust fans sound less 10 inches 250mm Crompton or equivalent Must be ISI Marked , Exhaust fan Iron Body 9 inches 200mm Must be ISI Marked , Exhaust fan Iron Body 10 inches 250mm Must be ISI Marked , Wall mounted fan 450mm Crompton or equivalent Must be ISI Marked , Pedestal fans 450mm Crompton or equivalent Must be ISI Marked , Ceiling fans 48 inches Crompton or equivalent Must be ISI Marked , Ceiling fans 58 inches Crompton or equivalent Must be ISI Marked , Capacitors 2 point 5 MFD Must be ISI Marked , LED Bulbs 3 watts Must be ISI Marked , 1 Feet LED Tube lights 5 Watts Must be ISI Marked , LED Bulbs 9 watts Must be ISI Marked , 2 Feet LED Tube lights 10 Watts Must be ISI Marked , LED lamp surface 18 watts 6 inches Must be ISI Marked , LED lamp recece 18 watts 6 inches Crompton or equivalent Must be ISI Marked , 4 Feet LED Tube lights 22 Watts Crompton or equivalent Must be ISI Marked , LED Lights 26 watts Must be ISI Marked , LED 2X2 Surface light 36 watts Crompton or equivalent Must be ISI Marked , LED 2X2 Recess light 36 watts Crompton or equivalent Must be ISI Marked , LED 2X2 Recess light Driver 36 watts Crompton or equivalent Must be ISI Marked , LED 2X2 Recess light Driver 36 watts Wipro or equivalent Must be ISI Marked , Recessed round Lights 12 watts 3 inches Crompton or equivalent Must be ISI Marked , Surface round Lights 12 watts 3 inches Must be ISI Marked , Recessed square Lights 22 watts 6 inches Crompton or equivalent Must be ISI Marked , Surface square Lights 22 watts 6 inches Must be ISI Marked , Freedom Neo LED Street Light

Bid Details/बिड विवरण	Driver 100W Crompton or equivalent Must be ISI Marked , LED Street Light Driver 36 45W Philips or equivalent Must be ISI Marked , LED Street Light Driver 60W Jaquar or equivalent Must be ISI Marked , Freedom Neo LED Street lights 45W LSTS 45 CDL Crompton or equivalent Must be ISI Marked , LED Rope Light Adapters Must be ISI Marked , LED Rope Light connectors Must be ISI Marked , Focus Day lights 250 Watts Crompton or equivalent Must be ISI Marked , LED Disco Waterproof Multi color Lights 250 Watts Crompton or equivalent Must be ISI Marked , LED Down Chawk flood light outdoor 400 watts Crompton or equivalent Must be ISI Marked , Water Proof LED strip Rope light with adapters Green Colour Must be ISI Marked , Water Proof LED strip Rope light with adapters Warm White Colour Must be ISI Marked , Water Proof LED strip Rope light with adapters Red Colour Must be ISI Marked , LED Rope Light Multi color Multi color Must be ISI Marked , Single Pole MCB 10A Finolex or equivalent Must be ISI Marked , Single Pole MCB 16A Finolex or equivalent Must be ISI Marked , Single Pole MCB 32 A Finolex or equivalent Must be ISI Marked , 4 Pole isolator 40A Finolex or equivalent Must be ISI Marked , Single Phase 2 pole isolator 40 Amps Finolex or equivalent Must be ISI Marked , 4 Pole isolator 63 A Finolex or equivalent Must be ISI Marked , Telephone Call id sets Beetel or equivalent Must be ISI Marked , Telephone line patch Must be ISI Marked , Telephone connetor box Must be ISI Marked , Telephone PVC wire 1 Pair Finolex or equivalent Must be ISI Marked , Telephone PVC wire 2 Pair Finolex or equivalent Must be ISI Marked , PVC Insulated Multi Strand wire Copper 1 sq mm Finolex or equivalent Must be ISI Marked , PVC Insulated Multi Strand wire Copper 2point5 sq mm Finolex or equivalent Must be ISI Marked , PVC Insulated Multi Strand wire Copper 4 sq mm Finolex or equivalent Must be ISI Marked , PVC Insulated Multi Strand wire Copper 6sq mm Finolex or equivalent Must be ISI Marked , PVC Insulated Multi Strand wire Copper 10 sq mm Finolex or equivalent Must be ISI Marked , 40 strand 3 core multi strand wire Finolex or equivalent Must be ISI Marked , 80 Strand wire 3 Core Finolex or equivalent Must be ISI Marked , 80 Strand Flat wire 3 Core Finolex or equivalent Must be ISI Marked , Flexible Copper Plastic Wire 14 76 Must be ISI Marked , Service wire 720 mm WPTC Finolex or equivalent Must be ISI Marked , PVC Modular Boxes 6 Modular Honeywell or equivalent Must be ISI Marked , PVC Modular Boxes 8 Modular Honeywell or equivalent Must be ISI Marked , PVC Modular Boxes 12 Modular Honeywell or equivalent Must be ISI Marked , Plates 6 Modular Honeywell or equivalent Must be ISI Marked , Plates 8 Modular Honeywell or equivalent Must be ISI Marked , Plates 12 Modular Honeywell or equivalent Must be ISI Marked , Switch cum sockets with gang box 16 Amps Anchor or equivalent Must be ISI Marked , Modular Multi Sockets 15 16 Amps Honeywell or equivalent Must be ISI Marked , Modular Switches 15 16 Amps Honeywell or equivalent Must be ISI Marked , Modular Multi Sockets 5 Amps Honeywell or equivalent Must be ISI Marked , Modular Switches 5 Amps Honeywell or equivalent Must be ISI Marked , Horizon Modular Sockets 2 Pin 5 Amps Honeywell or equivalent Must be ISI Marked , Fan regulators 2 Modular step type Honeywell or equivalent Must be ISI Marked , Modular Multi Sockets 15 16 Amps MK or equivalent Must be ISI Marked , Modular Switches 15 16 Amps MK or equivalent Must be ISI Marked , Modular Multi Sockets 5 Amps MK or equivalent Must be ISI Marked , Modular Switches 5 Amps MK or equivalent Must be ISI
Item Category/मद केटेगरी	

<b>Bid Details/As per</b>	Marked, Horizon Modular 2 Pin Sockets 5 Amps MK or equivalent Must be ISI Marked , Fan regulators 2 Modular
	step type MK or equivalent Must be ISI Marked , Modular switches 5 AMPS Roma or equivalent Must be ISI Marked , Modular sockets 5 AMPS Roma or equivalent Must be ISI Marked , Modular switches 15 16 Amps Roma or equivalent Must be ISI Marked , Modular sockets 15 16 Amps Roma or equivalent Must be ISI Marked , Modular step type Regulator 4 step Roma or equivalent Must be ISI Marked , Modular Switches 5 Amps ABB or equivalent Must be ISI Marked , Modular Sockets 5 Amps ABB or equivalent Must be ISI Marked , Modular Switches 15 16 Amps ABB or equivalent Must be ISI Marked , Modular Sockets 15 16 Amps ABB or equivalent Must be ISI Marked , 2 Modular Regulator 5 Step ABB or equivalent Must be ISI Marked , Modular switches 5 AMPS Legrand or equivalent Must be ISI Marked , Modular sockets 5 AMPS Legrand or equivalent Must be ISI Marked , Mylinc 2 Pin Socket 6 AMPS Legrand or equivalent Must be ISI Marked , Modular switches 15 16 Amps Legrand or equivalent Must be ISI Marked , Modular sockets 15 16 Amps Legrand or equivalent Must be ISI Marked , Modular step type Regulator 4 step Legrand or equivalent Must be ISI Marked , Non Modular Switches 5 Amps Anchor or equivalent Must be ISI Marked , Non Modular Sockets 5 Amps Anchor or equivalent Must be ISI Marked , Solar water drum Heating Elements 3000 watts Remson or equivalent Must be ISI Marked , Instant Geyser Pmw cup type heating elements 3KW Must be ISI Marked , Instatant Geyser Airex auto cut off electronic thermostat ciol Must be ISI Marked , Auto Cut off water heater Thermostats pin type 11 Inch Remson or equivalent Must be ISI Marked , Ceramic KSD301 90 Degres normaly closed Temperature Controlled switch Must be ISI Marked , 20Amps HT fuse wire Must be ISI Marked , PVC Round Sheets 3X3 Must be ISI Marked , Carbon Tetra Chloride 2 liters Must be ISI Marked , Spike Extension board 4 Sockets with individual control switches 2 Meters wire Length Havells or equivalent Must be ISI Marked , Cordless calling bell sets Must be ISI Marked , Ding dong bells Must be ISI Marked , Angle holders Anchor or equivalent Must be ISI Marked , USB Charging Socket with modular plates 0 2point 5Amps Legrand or equivalent Must be ISI Marked , Steel Grip taps Must be ISI Marked , USB Charging Socket with modular plates 0 2point 5Amps Honeywell or equivalent Must be ISI Marked , Pendant holders Anchor or equivalent Must be ISI Marked , AC unit Contactor 3 Phase L and T or equivalent Must be ISI Marked , AC Control MCB C25 2 Modular Type with Sheet 3000A Honeywell or equivalent Must be ISI Marked , AC Control MCB C25 2 Modular Type with Sheet 3000A Legrand or equivalent Must be ISI Marked , Ceiling Roses Jumbo Anchor or equivalent Must be ISI Marked , TE Connecting Amp Body Insulated Copper Connectors 4 Rings Terminal Lugs 6 Sq mm Copper Must be ISI Marked , TE Connecting Amp Body Insulated Copper Connectors 4 Rings Terminal Lugs 10 Sq mm Copper Must be ISI Marked , Stainless Steel Round Star Head Screws 1 inches Packet Must be ISI Marked , Stainless Steel Round Star Head Screws 2 inches Packet Must be ISI Marked , Stainless Steel Round Star Head Screws 4 inches Packet Must be ISI Marked , Single Phase Motor Starter Ac Control switch 25Amps Anchor or equivalent Must be ISI
<b>GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS</b>	Marked Supply of electrical consumables

<b>Bid Details/बिड विवरण</b>	
<b>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</b>	Consumables for Point of Care Test (POCT) Equipment, Sweeping Broom (V3), Polyethylene Pipes For The Supply Of Gaseous Fuels (V2) As Per Is 14885, TERA Package 2 - 3D Printer with Consumables, Rigid Plain Conduits of Insulating Materials as per IS 9537 (Part 3), Cleaning Duster (V3), Package No. 3 Atal Tinkering Lab of Niti Aayog Mechanical, Electrical and Measurement Tools, Package No 4 - Atal Tinkering Lab of Niti Aayog Power Supply and Accessories and Safety Equipment, Live Working Gloves of Insulating Material (V2) ISI marked to IS 13774, Online UPS (V2)
<b>अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification</b>	• PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694
<b>BOQ Title/बीओक्यू शीर्षक</b>	Supply of Electrical Consumables
<b>Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष</b>	3 Year (s)
<b>MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट</b>	No
<b>Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट</b>	No
<b>Document required from seller/विक्रेता से मांगे गए दस्तावेज़</b>	Experience Criteria,Past Performance,Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
<b>Do you want to show documents uploaded by bidders to all bidders participated in bid?/</b>	Yes
<b>Past Performance/विगत प्रदर्शन</b>	30 %
<b>Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया</b>	No
<b>Type of Bid/बिड का प्रकार</b>	Two Packet Bid
<b>Primary product category</b>	PVC plastic body exhaust fans sound less 9 inches 200mm Crompton or equivalent Must be ISI Marked
<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	2 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Estimated Bid Value/अनुमानित बिड मूल्य</b>	3578250
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Item wise evaluation/
<b>Arbitration Clause</b>	No

**Bid Details/बिड विवरण****Mediation Clause**

No

**EMD Detail/ईएमडी विवरण**

Required/आवश्यकता

No

**ePBG Detail/ईपीबीजी विवरण**

Advisory Bank/एडवाइजरी बैंक

State Bank of India

ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)

1.50

Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).

18

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

**Beneficiary/लाभार्थी :**

DIRECTOR

Icar-national Academy Of Agricultural Research Management (icar-naarm), Department of Agricultural Research and Education (DARE), Indian Council of Agricultural Research (ICAR), Ministry of Agriculture and Farmers Welfare (Director)

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता

Yes

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता

Yes

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating

to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

3. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

#### **Evaluation Method ( Item Wise Evaluation Method )**

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

<b>Evaluation Schedules</b>	<b>Estimated Value</b>	<b>Item/Category</b>	<b>Quantity</b>
Schedule 1	66000	Pvc Plastic Body Exhaust Fans Sound Less 9 Inches 200mm Crompton Or Equivalent Must Be Isi Marked	60
Schedule 2	60000	Pvc Plastic Body Exhaust Fans Sound Less 10 Inches 250mm Crompton Or Equivalent Must Be Isi Marked	60
Schedule 3	30000	Exhaust Fan Iron Body 9 Inches 200mm must Be Isi Marked	25
Schedule 4	35000	Exhaust Fan Iron Body 10 Inches 250mm Must Be Isi Marked	25
Schedule 5	52000	Wall Mounted Fan 450mm Crompton Or Equivalent Must Be Isi Marked	20
Schedule 6	60000	Pedestal Fans 450mm Crompton Or Equivalent Must Be Isi Marked	20

Schedule 7	84000	Ceiling Fans 48 Inches Crompton Or Equivalent Must Be Isi Marked	60
Schedule 8	45000	Ceiling Fans 58 Inches Crompton Or Equivalent Must Be Isi Marked	30
Schedule 9	10000	Capacitors 2 Point 5 Mfd Must Be Isi Marked	200
Schedule 10	10000	Led Bulbs 3 Watts Must Be Isi Marked	200
Schedule 11	12000	1 Feet Led Tube Lights 5 Watts Must Be Isi Marked	100
Schedule 12	7500	Led Bulbs 9 Watts Must Be Isi Marked	150
Schedule 13	12000	2 Feet Led Tube Lights 10 Watts Must Be Isi Marked	100
Schedule 14	80000	Led Lamp Surface 18 Watts 6 Inches Must Be Isi Marked	100
Schedule 15	36000	Led Lamp Recece 18 Watts 6 Inches Crompton Or Equivalent Must Be Isi Marked	60
Schedule 16	120000	4 Feet Led Tube Lights 22 Watts Crompton Or Equivalent Must Be Isi Marked	400
Schedule 17	12000	Led Lights 26 Watts Must Be Isi Marked	40
Schedule 18	110000	Led 2x2 Surface Light 36 Watts Crompton Or Equivalent Must Be Isi Marked	50
Schedule 19	200000	Led 2x2 Recess Light 36 Watts Crompton Or Equivalent Must Be Isi Marked	100
Schedule 20	50000	Led 2x2 Recess Light Driver 36 Watts Crompton Or Equivalent Must Be Isi Marked	100
Schedule 21	50000	Led 2x2 Recess Light Driver 36 Watts Wipro Or Equivalent Must Be Isi Marked	100
Schedule 22	12500	Recessed Round Lights 12 Watts 3 Inches Crompton Or Equivalent Must Be Isi Marked	50
Schedule 23	12500	Surface Round Lights 12 Watts 3 Inches Must Be Isi Marked	50
Schedule 24	12500	Recessed Square Lights 22 Watts 6 Inches Crompton Or Equivalent Must Be Isi Marked	50
Schedule 25	12500	Surface Square Lights 22 Watts 6 Inches Must Be Isi Marked	50
Schedule 26	120000	Freedom Neo Led Street Light Driver 100w Crompton Or Equivalent Must Be Isi Marked	100
Schedule 27	50000	Led Street Light Driver 36 45w Philips Or Equivalent Must Be Isi Marked	50
Schedule 28	50000	Led Street Light Driver 60w Jaquar Or Equivalent Must Be Isi Marked	50
Schedule 29	120000	Freedom Neo Led Street Lights 45w Lsts 45 Cdl Crompton Or Equivalent Must Be Isi Marked	40
Schedule 30	20000	Led Rope Light Adapters Must Be Isi Marked	200
Schedule 31	8000	Led Rope Light Connectors Must Be Isi Marked	200
Schedule 32	82500	Focus Day Lights 250 Watts Crompton Or Equivalent Must Be Isi Marked	25
Schedule 33	75000	Led Disco Waterproof Multi Color Lights 250 Watts Crompton Or Equivalent Must Be Isi Marked	25
Schedule 34	50000	Led Down Chawk Flood Light Outdoor 400 Watts Crompton Or Equivalent Must Be Isi Marked	10
Schedule 35	36000	Water Proof Led Strip Rope Light With Adapters Green Colour Must Be Isi Marked	6

Schedule 36	36000	Water Proof Led Strip Rope Light With Adapters Warm White Colour Must Be Isi Marked	6
Schedule 37	36000	Water Proof Led Strip Rope Light With Adapters Red Colour Must Be Isi Marked	6
Schedule 38	70000	Led Rope Light Multi Color Multi Color Must Be Isi Marked	10
Schedule 39	6000	Single Pole Mcb 10a Finolex Or Equivalent Must Be Isi Marked	60
Schedule 40	14000	Single Pole Mcb 16a Finolex Or Equivalent Must Be Isi Marked	60
Schedule 41	12000	Single Pole Mcb 32 A Finolex Or Equivalent Must Be Isi Marked	100
Schedule 42	12000	4 Pole Isolator 40a Finolex Or Equivalent Must Be Isi Marked	30
Schedule 43	7500	Single Phase 2 Pole Isolator 40 Amps Finolex Or Equivalent Must Be Isi Marked	30
Schedule 44	48000	4 Pole Isolator 63 A Finolex Or Equivalent Must Be Isi Marked	60
Schedule 45	100000	Telephone Call Id Sets Beitel Or Equivalent Must Be Isi Marked	100
Schedule 46	7500	Telephone Line Patch Must Be Isi Marked	50
Schedule 47	10000	Telephone Connetor Box Must Be Isi Marked	50
Schedule 48	5000	Telephone Pvc Wire 1 Pair Finolex Or Equivalent Must Be Isi Marked	10
Schedule 49	60000	Telephone Pvc Wire 2 Pair Finolex Or Equivalent Must Be Isi Marked	50
Schedule 50	40000	Pvc Insulated Multi Strand Wire Copper 1 Sq Mm Finolex Or Equivalent Must Be Isi Marked	25
Schedule 51	52000	Pvc Insulated Multi Strand Wire Copper 2point5 Sq Mm Finolex Or Equivalent Must Be Isi Marked	20
Schedule 52	52500	Pvc Insulated Multi Strand Wire Copper 4 Sq Mm Finolex Or Equivalent Must Be Isi Marked	15
Schedule 53	27000	Pvc Insulated Multi Strand Wire Copper 6sq Mm Finolex Or Equivalent Must Be Isi Marked	6
Schedule 54	39000	Pvc Insulated Multi Strand Wire Copper 10 Sq Mm Finolex Or Equivalent Must Be Isi Marked	6
Schedule 55	48000	40 Strand 3 Core Multi Strand Wire Finolex Or Equivalent Must Be Isi Marked	6
Schedule 56	60000	80 Strand Wire 3 Core Finolex Or Equivalent Must Be Isi Marked	6
Schedule 57	72000	80 Strand Flat Wire 3 Core Finolex Or Equivalent Must Be Isi Marked	6
Schedule 58	25000	Flexible Copper Plastic Wire 14 76 Must Be Isi Marked	25
Schedule 59	37500	Service Wire 720 Mm Wptc Finolex Or Equivalent Must Be Isi Marked	15
Schedule 60	4500	Pvc Modular Boxes 6 Modular Honeywell Or Equivalent Must Be Isi Marked	60
Schedule 61	5100	Pvc Modular Boxes 8 Modular Honeywell Or Equivalent Must Be Isi Marked	60
Schedule 62	6000	Pvc Modular Boxes 12 Modular Honeywell Or Equivalent Must Be Isi Marked	60
Schedule 63	7200	Plates 6 Modular Honeywell Or Equivalent Must Be Isi Marked	60
Schedule 64	9000	Plates 8 Modular Honeywell Or Equivalent Must Be Isi Marked	60
Schedule 65	9000	Plates 12 Modular Honeywell Or Equivalent Must Be Isi Marked	60

Schedule 66	25000	Switch Cum Sockets With Gang Box 16 Amps Anchor Or Equivalent Must Be Isi Marked	100
Schedule 67	20000	Modular Multi Sockets 15 16 Amps Honeywell Or Equivalent Must Be Isi Marked	80
Schedule 68	12000	Modular Switches 15 16 Amps Honeywell Or Equivalent Must Be Isi Marked	60
Schedule 69	20000	Modular Multi Sockets 5 Amps Honeywell Or Equivalent Must Be Isi Marked	100
Schedule 70	20000	Modular Switches 5 Amps Honeywell Or Equivalent Must Be Isi Marked	100
Schedule 71	7500	Horizon Modular Sockets 2 Pin 5 Amps Honeywell Or Equivalent Must Be Isi Marked	50
Schedule 72	26000	Fan Regulators 2 Modular Step Type Honeywell Or Equivalent Must Be Isi Marked	40
Schedule 73	12000	Modular Multi Sockets 15 16 Amps Mk Or Equivalent Must Be Isi Marked	80
Schedule 74	10000	Modular Switches 15 16 Amps Mk Or Equivalent Must Be Isi Marked	50
Schedule 75	8000	Modular Multi Sockets 5 Amps Mk Or Equivalent Must Be Isi Marked	100
Schedule 76	15000	Modular Switches 5 Amps Mk Or Equivalent Must Be Isi Marked	100
Schedule 77	7500	Horizon Modular 2 Pin Sockets 5 Amps Mk Or Equivalent Must Be Isi Marked	50
Schedule 78	20000	Fan Regulators 2 Modular Step Type Mk Or Equivalent Must Be Isi Marked	40
Schedule 79	1500	Modular Switches 5 Amps Roma Or Equivalent Must Be Isi Marked	30
Schedule 80	2400	Modular Sockets 5 Amps Roma Or Equivalent Must Be Isi Marked	30
Schedule 81	3000	Modular Switches 15 16 Amps Roma Or Equivalent Must Be Isi Marked	30
Schedule 82	3600	Modular Sockets 15 16 Amps Roma Or Equivalent Must Be Isi Marked	30
Schedule 83	7500	Modular Step Type Regulator 4 Step Roma Or Equivalent Must Be Isi Marked	30
Schedule 84	15000	Modular Switches 5 Amps Abb Or Equivalent Must Be Isi Marked	100
Schedule 85	10000	Modular Sockets 5 Amps Abb Or Equivalent Must Be Isi Marked	50
Schedule 86	10000	Modular Switches 15 16 Amps Abb Or Equivalent Must Be Isi Marked	50
Schedule 87	24000	Modular Sockets 15 16 Amps Abb Or Equivalent Must Be Isi Marked	80
Schedule 88	13750	2 Modular Regulator 5 Step Abb Or Equivalent Must Be Isi Marked	25
Schedule 89	15000	Modular Switches 5 Amps Legrand Or Equivalent Must Be Isi Marked	100
Schedule 90	10800	Modular Sockets 5 Amps Legrand Or Equivalent Must Be Isi Marked	60
Schedule 91	7000	Mylinec 2 Pin Socket 6 Amps Legrand Or Equivalent Must Be Isi Marked	40
Schedule 92	8000	Modular Switches 15 16 Amps Legrand Or Equivalent Must Be Isi Marked	40
Schedule 93	15000	Modular Sockets 15 16 Amps Legrand Or Equivalent Must Be Isi Marked	60
Schedule 94	10500	Modular Step Type Regulator 4 Step Legrand Or Equivalent Must Be Isi Marked	30
Schedule 95	5000	Non Modular Switches 5 Amps Anchor Or Equivalent Must Be Isi Marked	100
Schedule 96	7500	Non Modular Sockets 5 Amps Anchor Or Equivalent Must Be Isi Marked	150
Schedule 97	58800	Solar Water Drum Heating Elements 3000 Watts Remson Or Equivalent Must Be Isi Marked	60

Schedule 98	24000	Instant Geyser Pmw Cup Type Heating Elements 3kw Must Be Isi Marked	40
Schedule 99	10500	Instant Geyser Airex Auto Cut Off Electronic Thermostat Ciol Must Be Isi Marked	30
Schedule 100	3000	Auto Cut Off Water Heater Thermostats Pin Type 11 Inch Remson Or Equivalent Must Be Isi Marked	20
Schedule 101	7500	Ceramic Ksd301 90 Degres Normaly Closed Temperature Controlled Switch Must Be Isi Marked	50
Schedule 102	3600	20amps Ht Fuse Wire Must Be Isi Marked	6
Schedule 103	4000	Pvc Round Sheets 3x3 Must Be Isi Marked	200
Schedule 104	900	Carbon Tetra Chloride 2 Liters Must Be Isi Marked	2
Schedule 105	72000	Spike Extension Board 4 Sockets With Individual Control Switches 2 Meters Wire Length Havells Or Equivalent Must Be Isi Marked	120
Schedule 106	20000	Cordless Calling Bell Sets Must Be Isi Marked	40
Schedule 107	6000	Ding Dong Bells Must Be Isi Marked	30
Schedule 108	3600	Angle Holders Anchor Or Equivalent Must Be Isi Marked	60
Schedule 109	45000	Usb Charging Socket With Modular Plates 0 2point 5amps Legrand Or Equivalent Must Be Isi Marked	60
Schedule 110	10000	Steel Grip Taps Must Be Isi Marked	200
Schedule 111	54000	Usb Charging Socket With Modular Plates 0 2point 5amps Honeywell Or Equivalent Must Be Isi Marked	60
Schedule 112	5000	Pendant Holders Anchor Or Equivalent Must Be Isi Marked	50
Schedule 113	54000	Ac Unit Contactor 3 Phase L And T Or Equivalent Must Be Isi Marked	30
Schedule 114	12000	Ac Control Mcb C25 2 Modular Type With Sheet 3000a Honeywell Or Equivalent Must Be Isi Marked	30
Schedule 115	12000	Ac Control Mcb C25 2 Modular Type With Sheet 3000a Legrand Or Equivalent Must Be Isi Marked	30
Schedule 116	15000	Ceiling Roses Jumbo Anchor Or Equivalent Must Be Isi Marked	100
Schedule 117	5000	Te Connecting Amp Body Insulated Copper Connectors 4 Rings Terminal Lugs 6 Sq Mm Copper Must Be Isi Marked	100
Schedule 118	10000	Te Connecting Amp Body Insulated Copper Connectors 4 Rings Terminal Lugs 10 Sq Mm Copper Must Be Isi Marked	100
Schedule 119	6000	Stainless Steel Round Star Head Screws 1 Inches Packet Must Be Isi Marked	15
Schedule 120	7500	Stainless Steel Round Star Head Screws 2 Inches Packet Must Be Isi Marked	15

Schedule 121	10500	Stainless Steel Round Star Head Screws 4 Inches Packet Must Be Isi Marked	15
Schedule 122	25000	Single Phase Motor Starter Ac Control Switch 25amps Anchor Or Equivalent Must Be Isi Marked	50

**PVC Plastic Body Exhaust Fans Sound Less 9 Inches 200mm Crompton Or Equivalent Must Be ISI Marked**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	60	30

**PVC Plastic Body Exhaust Fans Sound Less 10 Inches 250mm Crompton Or Equivalent Must Be ISI Marked**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	60	30

**Exhaust Fan Iron Body 9 Inches 200mm Must Be ISI Marked**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	25	30

**Exhaust Fan Iron Body 10 Inches 250mm Must Be ISI Marked**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्र</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	25	30

**Wall Mounted Fan 450mm Crompton Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्र</b>	<b>Delivery Days/डिलीवरी के दिन</b>
-----------------------	--	--------------------	-----------------------	-------------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	20	30

### Pedestal Fans 450mm Crompton Or Equivalent Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	20	30

### Ceiling Fans 48 Inches Crompton Or Equivalent Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukul Raj Singh	500030, ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	60	30

**Ceiling Fans 58 Inches Crompton Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukul Raj Singh	500030, ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	30	30

**Capacitors 2 Point 5 MFD Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier**

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	200	30

**LED Bulbs 3 Watts Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	200	30

### 1 Feet LED Tube Lights 5 Watts Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	100	30

### LED Bulbs 9 Watts Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukul Raj Singh	500030, ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	150	30

**2 Feet LED Tube Lights 10 Watts Must Be ISI Marked**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukul Raj Singh	500030, ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	100	30

**LED Lamp Surface 18 Watts 6 Inches Must Be ISI Marked**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	100	30

**LED Lamp Recece 18 Watts 6 Inches Crompton Or Equivalent Must Be ISI Marked**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	60	30

#### 4 Feet LED Tube Lights 22 Watts Crompton Or Equivalent Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	400	30

#### LED Lights 26 Watts Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	40	30

**LED 2X2 Surface Light 36 Watts Crompton Or Equivalent Must Be ISI Marked**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	50	30

**LED 2X2 Recess Light 36 Watts Crompton Or Equivalent Must Be ISI Marked**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	100	30

**LED 2X2 Recess Light Driver 36 Watts Crompton Or Equivalent Must Be ISI Marked**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	100	30

### LED 2X2 Recess Light Driver 36 Watts Wipro Or Equivalent Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	100	30

### Recessed Round Lights 12 Watts 3 Inches Crompton Or Equivalent Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukul Raj Singh	500030, ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	50	30

**Surface Round Lights 12 Watts 3 Inches Must Be ISI Marked**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukul Raj Singh	500030, ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	50	30

**Recessed Square Lights 22 Watts 6 Inches Crompton Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Mukul Raj Singh	500030, ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	50	30

**Surface Square Lights 22 Watts 6 Inches Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	50	30

### Freedom Neo LED Street Light Driver 100W Crompton Or Equivalent Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	100	30

### LED Street Light Driver 36 45W Philips Or Equivalent Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	50	30

**LED Street Light Driver 60W Jaquar Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	50	30

**Freedom Neo LED Street Lights 45W LSTS 45 CDL Crompton Or Equivalent Must Be ISI**

## Marked

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

### Technical Specifications/तकनीकी विशिष्टियाँ

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	40	30

## LED Rope Light Adapters Must Be ISI Marked

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

### Technical Specifications/तकनीकी विशिष्टियाँ

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	200	30

### LED Rope Light Connectors Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	200	30

### Focus Day Lights 250 Watts Crompton Or Equivalent Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	25	30

**LED Disco Waterproof Multi Color Lights 250 Watts Crompton Or Equivalent Must Be ISI Marked**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	25	30

**LED Down Chawk Flood Light Outdoor 400 Watts Crompton Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Mukul Raj Singh	500030, ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	10	30

**Water Proof LED Strip Rope Light With Adapters Green Colour Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	6	30

### Water Proof LED Strip Rope Light With Adapters Warm White Colour Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	6	30

### Water Proof LED Strip Rope Light With Adapters Red Colour Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	6	30

**LED Rope Light Multi Color Multi Color Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	10	30

**Single Pole MCB 10A Finolex Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Mukul Raj Singh	500030, ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	60	30

**Single Pole MCB 16A Finolex Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	60	30

### Single Pole MCB 32 A Finolex Or Equivalent Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	100	30

### 4 Pole Isolator 40A Finolex Or Equivalent Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	30	30

**Single Phase 2 Pole Isolator 40 Amps Finolex Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	30	30

**4 Pole Isolator 63 A Finolex Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier**

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	60	30

**Telephone Call Id Sets Beetel Or Equivalent Must Be ISI Marked**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	100	30

### Telephone Line Patch Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	50	30

### Telephone Connetor Box Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukul Raj Singh	500030, ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	50	30

**Telephone PVC Wire 1 Pair Finolex Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukul Raj Singh	500030, ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	10	30

**Telephone PVC Wire 2 Pair Finolex Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier**

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	50	30

**PVC Insulated Multi Strand Wire Copper 1 Sq Mm Finolex Or Equivalent Must Be ISI Marked**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	25	30

**PVC Insulated Multi Strand Wire Copper 2point5 Sq Mm Finolex Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	20	30

**PVC Insulated Multi Strand Wire Copper 4 Sq Mm Finolex Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukul Raj Singh	500030, ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	15	30

**PVC Insulated Multi Strand Wire Copper 6sq Mm Finolex Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	6	30

**PVC Insulated Multi Strand Wire Copper 10 Sq Mm Finolex Or Equivalent Must Be ISI Marked**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	6	30

**40 Strand 3 Core Multi Strand Wire Finolex Or Equivalent Must Be ISI Marked**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	6	30

**80 Strand Wire 3 Core Finolex Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	6	30

**80 Strand Flat Wire 3 Core Finolex Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Mukul Raj Singh	500030, ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	6	30

**Flexible Copper Plastic Wire 14 76 Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	25	30

### Service Wire 720 Mm WPTC Finolex Or Equivalent Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	15	30

### PVC Modular Boxes 6 Modular Honeywell Or Equivalent Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukul Raj Singh	500030, ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	60	30

**PVC Modular Boxes 8 Modular Honeywell Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukul Raj Singh	500030, ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	60	30

**PVC Modular Boxes 12 Modular Honeywell Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier**

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	60	30

**Plates 6 Modular Honeywell Or Equivalent Must Be ISI Marked**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	60	30

### Plates 8 Modular Honeywell Or Equivalent Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	60	30

### Plates 12 Modular Honeywell Or Equivalent Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	60	30

**Switch Cum Sockets With Gang Box 16 Amps Anchor Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	100	30

**Modular Multi Sockets 15 16 Amps Honeywell Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Mukul Raj Singh	500030, ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	80	30

**Modular Switches 15 16 Amps Honeywell Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	60	30

### Modular Multi Sockets 5 Amps Honeywell Or Equivalent Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	100	30

### Modular Switches 5 Amps Honeywell Or Equivalent Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukul Raj Singh	500030, ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	100	30

**Horizon Modular Sockets 2 Pin 5 Amps Honeywell Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukul Raj Singh	500030, ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	50	30

**Fan Regulators 2 Modular Step Type Honeywell Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier**

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	40	30

**Modular Multi Sockets 15 16 Amps MK Or Equivalent Must Be ISI Marked**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	80	30

### Modular Switches 15 16 Amps MK Or Equivalent Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	50	30

### Modular Multi Sockets 5 Amps MK Or Equivalent Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukul Raj Singh	500030, ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	100	30

**Modular Switches 5 Amps MK Or Equivalent Must Be ISI Marked**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukul Raj Singh	500030, ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	100	30

**Horizon Modular 2 Pin Sockets 5 Amps MK Or Equivalent Must Be ISI Marked**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	50	30

**Fan Regulators 2 Modular Step Type MK Or Equivalent Must Be ISI Marked**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	40	30

### Modular Switches 5 AMPS Roma Or Equivalent Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	30	30

### Modular Sockets 5 AMPS Roma Or Equivalent Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	30	30

**Modular Switches 15 16 Amps Roma Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	30	30

**Modular Sockets 15 16 Amps Roma Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier**

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	30	30

**Modular Step Type Regulator 4 Step Roma Or Equivalent Must Be ISI Marked**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	30	30

### Modular Switches 5 Amps ABB Or Equivalent Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	100	30

### Modular Sockets 5 Amps ABB Or Equivalent Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	50	30

**Modular Switches 15 16 Amps ABB Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	50	30

**Modular Sockets 15 16 Amps ABB Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier**

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	80	30

**2 Modular Regulator 5 Step ABB Or Equivalent Must Be ISI Marked**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	25	30

### Modular Switches 5 AMPS Legrand Or Equivalent Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	100	30

### Modular Sockets 5 AMPS Legrand Or Equivalent Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	60	30

**Mylic 2 Pin Socket 6 AMPS Legrand Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	40	30

**Modular Switches 15 16 Amps Legrand Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier**

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	40	30

**Modular Sockets 15 16 Amps Legrand Or Equivalent Must Be ISI Marked**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	60	30

### Modular Step Type Regulator 4 Step Legrand Or Equivalent Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	30	30

### Non Modular Switches 5 Amps Anchor Or Equivalent Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	100	30

**Non Modular Sockets 5 Amps Anchor Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	150	30

**Solar Water Drum Heating Elements 3000 Watts Remson Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Mukul Raj Singh	500030, ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	60	30

**Instant Geyser Pmw Cup Type Heating Elements 3KW Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	40	30

### Instatant Geyser Airex Auto Cut Off Electronic Thermostat Ciol Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	30	30

### Auto Cut Off Water Heater Thermostats Pin Type 11 Inch Remson Or Equivalent Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	20	30

**Ceramic KSD301 90 Degres Normaly Closed Temperature Controlled Switch Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	50	30

## 20Amps HT Fuse Wire Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	6	30

## PVC Round Sheets 3X3 Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	200	30

### Carbon Tetra Chloride 2 Liters Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	2	30

### Spike Extension Board 4 Sockets With Individual Control Switches 2 Meters Wire Length Havells Or Equivalent Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	120	30

**Cordless Calling Bell Sets Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	40	30

**Ding Dong Bells Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Mukul Raj Singh	500030, ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	30	30

**Angle Holders Anchor Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	60	30

### USB Charging Socket With Modular Plates 0 2point 5Amps Legrand Or Equivalent Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	60	30

### Steel Grip Taps Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	200	30

**USB Charging Socket With Modular Plates 0 2point 5Amps Honeywell Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	60	30

## Pendant Holders Anchor Or Equivalent Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	50	30

## AC Unit Contactor 3 Phase L And T Or Equivalent Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	30	30

**AC Control MCB C25 2 Modular Type With Sheet 3000A Honeywell Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	30	30

**AC Control MCB C25 2 Modular Type With Sheet 3000A Legrand Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukul Raj Singh	500030, ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	30	30

**Ceiling Roses Jumbo Anchor Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukul Raj Singh	500030, ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	100	30

**TE Connecting Amp Body Insulated Copper Connectors 4 Rings Terminal Lugs 6 Sq Mm Copper Must Be ISI Marked**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	100	30

**TE Connecting Amp Body Insulated Copper Connectors 4 Rings Terminal Lugs 10 Sq Mm Copper Must Be ISI Marked**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	100	30

### Stainless Steel Round Star Head Screws 1 Inches Packet Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	15	30

### Stainless Steel Round Star Head Screws 2 Inches Packet Must Be ISI Marked

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	15	30

**Stainless Steel Round Star Head Screws 4 Inches Packet Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	15	30

**Single Phase Motor Starter Ac Control Switch 25Amps Anchor Or Equivalent Must Be ISI Marked**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Mukul Rajsingh	500030,ICAR-National Academy of Agricultural Research Management (ICAR-NAARM), Rajendranagar, Hyderabad	50	30

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**

**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

**2. Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

**3. Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

Security Deposit: The successful bidder must furnish a Performance Security Deposit of **Rs.50000/-** (Rupees Fifty Thousand only) which will be refunded/returned only after satisfactory completion of the contract.

The Security Deposit should be in the form of Demand Draft, Fixed Deposit Receipt or Bank Guarantee from any commercial bank and on which no interest will be paid. In case of FDR & BD, the time period should be of 18 months.

## **Disclaimer/अस्वीकरण**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा

जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

**---Thank You/धन्यवाद---**